

# Executive Summary:

## Evidence-Based Practices for Children, Youth, and Young Adults with Autism

Jessica R. Steinbrenner, Kara Hume, Samuel L. Odom, Kristi L. Morin, Sallie W. Nowell, Brianne Tomaszewski, Susan Szendrey, Nancy S. McIntyre, Şerife Yücesoy-Özkan, & Melissa N. Savage

*The National Clearinghouse on Autism Evidence and Practice (NCAEP) conducted the third iteration of a systematic review that examined the autism intervention literature, extending the coverage to articles published between 1990 and 2017. This report describes a set of practices that have clear evidence of positive effects with autistic children and youth. The intervention practices examined had to be behavioral, clinical, developmental, and/or educational in nature. We also provide information about the study designs, participant characteristics, associated outcomes and implementation characteristics of the interventions.*

### Key Findings

These findings are based on synthesis of 545 new studies combined with 427 studies from the previous review, yielding a total of 972 articles focused on intervention practices for individuals with autism between birth and 22 years of age.

- The classification of these 972 articles led to 28 evidence-based practice categories.
- There are five new EBP categories in this review: Augmentative and Alternative Communication, Behavior Momentum Intervention, Direct Instruction, Music-Mediated Intervention, and Sensory Integration®
- A set of manualized interventions grouped within established EBP categories now themselves have sufficient evidence to be classified as evidence-based: PECS®, PRT, JASPER, Milieu Training, Project ImPACT, Stepping Stones/Triple P, Social Stories™, PEERS®, Mindreading, and FaceSay®.

## Evidence-Based Practices

Antecedent-Based Interventions

Augmentative and Alternative Communication

Behavioral Momentum Intervention

Cognitive Behavioral/Instructional Strategies

Differential Reinforcement of Alternative, Incompatible, or Other Behavior

Direct Instruction

Discrete Trial Training

Exercise and Movement

Extinction

Functional Behavioral Assessment

Functional Communication Training

Modeling

Music-Mediated Intervention

Naturalistic Intervention

Parent-Implemented Intervention

Peer-Based Instruction and Intervention

Prompting

Reinforcement

Response Interruption/Redirection

Self-Management

Sensory Integration®

Social Narratives

Social Skills Training

Task Analysis

Technology-Aided Instruction and Intervention


Time Delay

Video Modeling

Visual Supports

Find the EBP definitions at <http://go.unc.edu/2020EBPs>.

Figure 1. Criteria for qualification as an evidence-based practice



**Study Design:** Single case design studies made up 83% of the articles and group design studies made up 17% of the 972 articles. The percentage of group studies was higher for the recent review period, comprising 23% of the articles compared to only 9% of the articles in the previous review.

**Participant Age:** Most studies across review periods were conducted with 3-5-year-olds and 6-11-year-olds. However, in the more recent review period, there were substantial increases in studies conducted with 12-14-year-olds and 15-18-year-olds. Fewer studies were conducted with participants from birth-35 months and 19-22-year-olds.

Figure 2. Age of participants across review periods









Figure 3. Percentage of studies reporting gender/sex and race/ethnicity/nationality data in 2012-2017 review period



**Participant Gender:** Data on the gender or sex of the participants were reported in 93% of studies in the 2012-2017 review period. In studies that reported this data, 84% of participants were male.

**Participant Race/Ethnicity/Nationality:** Less than 1/3 of all studies in the 2012-2017 review period reported data on race/ethnicity/nationality. For studies that reported data, about 6 out of every 10 participants were White and 1 out of every 10 participants were Black. All other groups had less than 10% representation among participants.


**Participant Outcomes:** There were 13 different types of outcomes reported in this review. Target skills relating to communication, social skills, and challenging behaviors were the most frequently reported outcomes. When examining differences between the two review periods, there were notable increases in studies that successfully targeted academic/pre-academic skills, vocational skills, and mental health.

- 
  - Communication
  - Social
  - Joint attention
  - Play
- 
  - Cognitive
  - School readiness
  - Academic/Pre-academic
- 
  - Adaptive/self-help
  - Challenging behavior
  - Vocational
  - Motor
- 
  - Mental health
  - Self-determination

**Intervention Implementers:** Implementers were primarily research staff, serving as interventionists in 52% of studies and coaches in 10% of studies. Educators and related service providers were each identified as implementers in 20% of studies, and parents were noted as implementers in 10% of studies.

**Intervention Settings:** About half of all studies occurred in educational settings, with fewer numbers occurring in clinic, university, community-based, and home settings. Nearly 4 out of every 5 studies were conducted in individual sessions (i.e., one-on-one).

Figure 4. Percentage of studies by intervention setting in 2012-2017 review period



**Moving from Research to Practice:** For families or practitioners interested in using the identified evidenced-based practices, the Autism Focused Intervention Resources and Modules (AFIRM) website has free eLearning modules that describe EBP procedures, steps for implementing the practices, fidelity checklists and more (<https://afirm.fpg.unc.edu>). The new information from this review will be used to update the modules to reflect the most current scientific information about focused intervention practices.



Funding for this work was provided by the Ireland Foundation, Mr. John E. Rucker, and the Frank Porter Graham Child Development Institute. Support for this project was provided by the Institute of Education Sciences, U.S. Department of Education through Grant R324B160038 (Postdoctoral Training Program on Special Education Research) awarded to University of North Carolina at Chapel Hill and the U.S. National Institutes of Health, Grant T32HD040127. The opinions expressed represent those of the authors and do not represent the any of the funders.